

SF6922NPZE1

Product Family: Oven
Category: 60cm
Power supply: Electric
Heat source: Electric
Cooking method: Thermo-ventilated
Cleaning system: Vapor Clean
Oven control: Electronic
Pizza Oven
EAN code: 8017709241667



Aesthetics


Aesthetics: Victoria
Design: Rounded
Colour: Black
Material: Painted material
Glass Type: Clear
Serigraphy colour: Silver
Serigraphy type: Symbols

Door: With panel
Handle: Victoria
Handle Colour: Steel effect
Logo: Applied


Programs / Functions

No. of cooking functions: 10
Automatic programmes: 20

Traditional cooking functions



Other functions



Cleaning functions



Controls

Display / Clock: Large LCD
Control setting: Control knobs
No. of controls: 2
Control knobs: Victoria
Controls colour: Steel effect

Options

Timer: Electronic
Time-setting options: Delay start and automatic end cooking
Minute minder
End of cooking acoustic alarm
Limited Power Consumption Mode
Controls Lock / Child Safety

Other options: Keep warm, Eco light
Showroom demo option
Rapid pre-heating

Technical Features

Temperature control: Electronic
Minimum Temperature: 30 °C
Maximum temperature: 280 °C
Cavity material: Ever clean Enamel
No. of shelves: 5
Shelves type: Metal racks
Tilting grill
N. of fans: 1
No. of lights: 2
Light type: Halogen
Light Power: 40 W
Light when door is opened
Lower heating element power: 1100 W
Upper heating element - Power: 1000 W
Grill element - power: 1700 W
Large grill - Power: 2700 W
Circular heating element - Power: 2000 W

Door opening type: Standard opening
Door: Fresh Touch
Removable door
Full glass inner door
Removable inner door
Total no. of door glasses: 4
No. of thermoreflecting door glasses: 3
Soft Close hinges
Safety Thermostat
Heating suspended when door is opened
Cooling system: Tangential
Cooling duct: Double
Speed Reduction Cooling System
Usable cavity space dimensions (HxWxD): 331x460x412 mm

Performance / Energy Label

Energy efficiency class: A+
Energy efficiency class (2002/40/CE): A
Net volume of the cavity: 65 litres
Energy consumption per cycle in conventional mode: 1.05 KWh
Energy consumption per cycle in fan-forced convection: 0.66 KWh

No. of cavities: 1
Energy efficiency index: 80.5 %
Gross volume: 79 litres

Accessories Included

Grid with back and side stop: 2
Insert grid: 1
Enamelled tray (20mm): 1
Enamelled deep tray (40mm): 1
Telescopic Guide rails, total Extraction : 1

Pizza Accessories: Refractory stone (round without handles) + cover + shovel

Electrical Connection

Voltage: 220-240 V
Electrical connection rating (W): 3000 W
Current: 13 Amp
Frequency (Hz): 50/60 Hz

Power supply cable length: 115 cm

Accessories not included



BN620-1
Enamelled tray, 20mm deep



BN640
Enamelled tray, 40mm deep



BNP608T
Teflon tray, 8mm deep



BVG
Glass tray and stainless steel grid, 40mm deep



GT1P-2
Partially extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 285 mm.
Material: Stainless steel AISI 430 polished.



GT1T-2
Totally extractable telescopic guides (1 level) for ovens with metal frames. Length: 355.5 mm, extraction: 418.5 mm.
Material: Stainless steel AISI 430 polished.



MDB
Handle for double tray



PC68-1
Set of catalytic panels , 5 levels, 2 lamps



PIR2
Steel pan with grid, glass top, not suitable for ovens with telescopic guides



PR3845X
Antifingerprint stainless steel. Cover for furniture in column installation of more ovens



PRTX
Refractory pizza stone with handles. D=35cm Not suitable for microwave ovens. Suitable for gas ovens, to be put on the griddle.

